



Figure 1

Patient 406






Figure 2

Patient 115 Pre-vaccination




1 2 3 4 5

Patient 115 Post Vaccination




1 2 3 4 5

Patient 304 Pre Vaccination



1 2 3 4 5


Patient 304 Post Vaccination



1 2 3 4 5

1= Molecular weight markers, 2= PNT2 lysate, 3= 1542 lysate, 4=DU145 lysate, 5=LnCap lysate

Figure 2 (continued)



Figur 3




Figure 3 (continued)





Figure 4

Patient 110



Patient 303




Figure 4 (continued)

Patient 404




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9

Patient	Slope Pre treatment	Slope Post treatment	Doubling time (days) Pre-treatment	Doubling time (days) Post treatment	
1	0.0038	0.0014	182	495	p = 0.04
2	0.0065	0.0068	106	102	
3	0.0046	0.0033	152	213	
4	0.0041	0.0032	169	217	
5	0.0043	0.0018	161	377	p = 0.08
6	0.0021	0.0235	324	29	
7	0.0038	0.0015	184	475	p = 0.1
8	0.0046	0.0053	150	130	
9	0.009	0.0041	77	168	p = 0.005
10	0.0113	0.0064	61	109	p = 0.009
11	0.003	0.0027	234	261	
12	0.0072	0.0028	96	248	p = 0.001
13	0.0075	0.0123	92	56	
14	0.0157	0.0024	44	294	p = 0.004
15	0.0002	0.0033	2999	213	

Figure 10

Ratio of PSA Doubling Times, Post:Pre

